

References

- Abdel-Rahaman A. M. (1993) – Nature of biotite from alkaline, calcalkaline and peraluminous magmas. *J. Petrology*, 35, 525-541.
- Acquafredda P., Lorenzoni S., Minzoni N. and Zanettin Lorenzoni E. (1987) - The Palaeozoic sequence in the Stilo-Bivongi area (Central Calabria). *Memorie Scienze Geologiche Università Padova*, 39, 117-127.
- Acquafredda P., Fornelli A., Paglionico A. and Piccarreta G. (2006) - Petrological evidence for crustal thickening and extension in the Serre granulite terrane (Calabria, southern Italy). *Geol. Mag.*, 143 (2), 145-163.
- Acquafredda P., Fornelli A., Piccarreta G. and Pascazio A. (2008) - Multi-stage dehydrationdecompression in the metagabbros from the lower crust rocks of the Serre (southern Calabria, Italy). *Geological Magazine* 145 (3), 397-411.
- Ahrendt H., Hunziker J. C. and Weber K. (1978) – K/Ar-Altersbestimmungen an schwach metamorphen Gesteinen des Rheinischen Schiefergebirges. *Z. Dtsch. Geol. Ges.*, 129, 229-247.
- Alt J. C. (1995) – Subseafloor processes in mid-ocean ridge hydrothermal systems. In: Humphris S., Lupton J., Mullineaux L. and Zierenberg R. (eds), *Seafloor Hydrothermal Systems: Physical, chemical and biological interactions*. *Geophysics Monograph*, 91, 85-114.
- Altherr R. and Siebel W. (2002) - I-type plutonism in a continental back-arc setting: Miocene granitoids and monzonites from the central Aegean Sea, Greece. *Contribution to Mineralogy and Petrology*, 143, 397-415.
- Altherr P., Holl A., Hegner E., Langer C. and Kreuzer H. (2000) - High-potassium, calcalkaline I-type plutonism in the European Variscides: Northern Vosges (France) and northern Schwarzwald (Germany). *Lithos*, 50, 51-73.
- Alvarez W. (1976) - A former continuation of the Alps. *Geol. Soc. Am. Bull.*, 87, 891-896.
- Amodio Morelli L., Bonardi G., Colonna V., Dietrich D., Giunta G., Ippolito F., Liguori V., Lorenzoni S., Paglionico A., Perrone V., Piccarreta G., Russo M., Scandone P., Zanettin-Lorenzoni E. and Zuppetta A. (1976) - L'arco calabro-peloritano nell'orogene appenninico-maghrebide. *Mem. Soc. Geol. It.*, 17, 1-60.
- Angi G., Cirrincione R., Fazio E., Fiannacca P., Ortolano G. and Pezzino A. (2010) - Metamorphic evolution of preserved Hercynian upper crust in the Alpine Calabria-Peloritani Orogen (southern Italy): structural and petrological constraints from the Serre Massif metapelites. *Lithos*, 115, 237-262.
- Arculus R. J. (1994) - Aspects of magma genesis in arcs. *Lithos*, 33, 189-208.
- Arculus R. J. (2003) - Use and abuse of the terms calcalkaline and calcalkalic. *J. Petrol.* 44, 929-935.
- Arenas R., Fuster J. M., Gonzalez Lodeiro F., Macaya J., Martin Parra L. M., Martinez Catalan J. R. and Villaseca C. (1991) – Evolucion metamorfica Hercinica de la region de Segovia (Sierra de Guadarrama). *Rev. Soc. Geol. Espana*, 4 (3-4), 195-201.
- Arndt N.T. and Christensen U. (1992) - Role of lithospheric mantle in continental volcanism: thermal and geochemical constraints. *J. Geophys. Res.*, 97, 10967-10981.

Arthaud F. and Matte P. (1977) - Late Palaeozoic strike slip faulting in southern Europe and northern Africa: results of a right lateral shear zone between the Appalachians and the Urals. *Geol. Soc. Am. Bull.*, 88, 1305–1320.

Atzori P. and Traversa G. (1986) - Post-granitic permo-triassic dyke magmatism in eastern Sardinia (Sarrabus pp, Barbagia, Mandrolisai, Goceano, Baronie and Gallura). *Per. Mineral.* 55, 203-231.

Atzori P., Pezzino A. and Rottura A. (1977) - La massa granitica di Cittanova (Calabria Meridionale): relazioni con le rocce granitoidi del massiccio delle Serre e con le metamorfite di Canolo, San Nicodemo e Molochio (nota preliminare). *Bollettino della Società Geologica Italiana* 96, 387–391.

Atzori P., Ferla P., Paglionico A., Piccarreta G. and Rottura A. (1984) - Remnants of the Hercynian Orogen along the Calabrian-Peloritan Arc, southern Italy: a review. *Journal of the Geological Society London* 141, 137–145.

Atzori P., Cirrincione R., Del Moro A. and Mazzoleni P. (2000) - Petrogenesis of late Hercynian calcalkaline dykes of mid-eastern Sardinia: petrological and geochemical data constraining hybridization process. *European Journal of Mineralogy*, 12, 1261-1282.

Avanzinelli R., Lustrino M., Mattei M., Melluso L. and Conticelli S. (2009) - Potassic and ultrapotassic magmatism in the circum-Tyrrhenian region: significance of carbonated pelitic vs. pelitic sediment recycling at destructive plate margins. *Lithos*, Doi:10.1016/2009.03.029.

Barca D., Cirrincione R., De Vuono E., Fiannacca P., Ietto F. and Lo Giudice A. (2010) - The Triassic rift system in the northern Calabrian-Peloritani Orogen: evidence from basaltic dyke magmatism in the San Donato Unit. *Period. Mineral.*, 79, 2, 61-72.

Bard J. P. (1997) - Demembrement antemesozoïque de la chaîne varisque d'Europe occidentale et d'Afrique du Nord: rôle essentiel des grands décrochements transpressifs dextres accompagnant la rotation-traduction horaire de l'Afrique durant le Stephanien. *C.R. Acad. Sci. Paris*, 324, 693-704.

Bathey H. M. (1955) – Alkali metasomatism and the petrology of some keratophyres. *Geol. Mag.*, 92, 104-126.

Baxter S. and Feely M. (2002) - Magma mixing and mingling textures in granitoids: examples from the Galway Granite, Connemara, Ireland. *Mineralogy and Petrology*, 76, 63-74.

Bea F., Montero P. and Molina J.F. (1999) - Mafic precursors, peraluminous granitoids, and late lamprophyres in the avila batholith: a model for the generation of Variscan batholiths in Iberia. *J. Geol.* 107, 399– 419.

Bellido F., Capote C., Casquet C., Fuster J.M., Navidad M., Peinado M., Villaseca C. (1981) - Caracteres generales des cinturón Hercínico en el sector Oriental del Sistema Central Español. *Cuad. Geol. Iber.*, 5-15.

Ben Avraham Z., Boccaletti M., Cello G., Grasso M., Lentini F., Torelli L. and Tortorici L. (1990) - Principali domini strutturali originatisi dalla collisione neogenico-quadernaria nel Mediterraneo centrale. *Memorie Società Geologica Italiana* 45, 453–462.

Bianchini G., Clocchiatti R., Coltorti M., Joron J. L. and Vaccaro C. (1998) – Petrogenesis of mafic lavas from the northernmost sector of the Iblean district (Sicily). *Eur. J. Mineral.*, 10, 301-315.

Bonardi G., Messina A., Perrone V., Russo S. and Zappetta A. (1984) - L'unità di Stilo nel settore meridionale dell'Arco Calabro-Peloritano. *Bollettino della Società Geologica Italiana* 103, 279–309.

Bonardi G., Compagnoni R., Del Moro A., Messina A. and Perrone V. (1987) - Riequilibrazioni tettono-metamorfiche alpine nell'Unità dell'Aspromonte, Calabria meridionale. *Rendiconti della Società Italiana di Mineralogia e Petrologia* 42, 301.

- Bonin B. (2004) - Do coeval mafic and felsic magmas in post-collisional to within-plate regimes necessarily imply two contrasting, mantle and crustal, sources? A review. *Lithos*, 78, 1-24.
- Bonin B. (1989) - Permian volcano-sedimentary events in Corsica: a geological record of a waning Variscan orogeny and its transition to divergent plate boundary processes. *Rend. Soc. Geol. It.*, 42, 139–141.
- Bonin B., Azzouni-Sekkal A., Bussy F. and Ferrag S. (1998) - Alkali-calcic and alkaline post-orogenic (PO) granite magmatism: petrologic constraints and geodynamic settings. *Lithos*, 45, 45–70.
- Bonin B., Brandlein P., Bussy F., Desmons J., Eggenberger U., Finger F., Graf K., Marro Ch., Mercolli F., Oberhansli R., Ploquin A., von Quadt A., von Raumer J., Schaltegger U., Steyrer H.P., Visonà D. and Vivier G. (1993) - Late Variscan Magmatic Evolution of the Alpine Basement. In: von Raumer J.F., Neubauer F. (Eds.), *Pre-Mesozoic Geology in the Alps*. Springer-Verlag, Berlin, 171–201.
- Boriani A., Caironi V., Giobbi Origoni E. and Vannucci R. (1992) – The Permian intrusive rocks of Serie dei Laghi, western Southern Alps. *Acta Vulcanologica*, 2, 73–86.
- Borsi S. and Dubois R. (1968) - Données géochronologiques sur l'histoire hercynienne et alpine de la Calabre centrale. *Cr Acad. Sci. Paris*, 266, 72-75.
- Borsi S., Merlin H.O., Lorenzoni S., Paglionico A. and Lorenzoni-Zanettin E. (1976) - Stilo Unit and “Dioritic-Kinzingitic” Unit in Le Serre (Calabria, Italy). Geological, petrological, geochronological characters. *Boll. Soc. Geol. It.* 95, 219-244.
- Bouillin J.P. (1984) – Nouvelle interprétation de la liaison Apennin-Maghrébides en Calabre: conséquences sur la paléogéographie téthysienne entre Gibraltar et les Alpes. *Rév. Géol. Dyn. Géogr. Phys.*, 25, 321–338.
- Bouillin J.P., Durand Delga M. and Olivier Ph. (1986) – Betic-Rifian and Tyrrhenian Arcs: distinctive features, genesis and development stages. In: *The Origin of Arcs* (F. Wezel ed.) Elsevier, Amsterdam, 281–304.
- Burg J.P., Bale P., Brun J.P. and Girardeau J. (1987) - Stretching lineation and transport direction in the Ibero- Armorican arc during the Siluro- Devonian collision. *Geodinamica Acta* 1 (1), 71-87.
- Burg J. P., van den Driessche J. and Brun J. P. (1994) – Syn- to post-thickening extension in the Variscan belt of Western Europe: Modes and structural consequences. *Geologie France*, 3, 33-51.
- Cabanis B. and Lecolle M. (1989) - Le diagramme La/10-Y/15-Nb/8: un outil pour la discrimination des series volcaniques et la mise en evidence des processus de mélange et/ou de contamination crustale, *Comptes Rendus Academie des Science de Paris Ser. II* 309, 2023–2029.
- Cabanis B., Cocherie J. J., Vellutini P. J., Joron J. L. and Treuil M. (1990) –Post collision Permian volcanism in North-Western Corsica: an assessment on mineralogy and trace-element geochemistry. *J. Vulc. Geoth. Res.*, 44, 51-67.
- Caggianelli A., Del Moro A., Paglionico A., Piccarreta G., Pinarelli L. and Rottura A. (1991) - Lower crustal granite genesis connected with chemical fractionation in the continental crust of Calabria (Southern Italy). *Eur. J. Mineral.*, 3, 159-180.
- Caggianelli A., Prosser G. and Rottura A. (2000) – Thermal history vs. fabric anisotropy in granitoids emplaced at different crustal levels: an example from Calabria, southern Italy. *Terra Nova*, 12, 109-16.
- Caggianelli A., Liotta D., Prosser G. and Ranalli G. (2007) - Pressure–temperature evolution of the late Hercynian Calabria continental crust: compatibility with post-collisional extensional tectonics. *Terra Nova*, 19, 502–514.

Cameron B. I., Walker J. A., Carr M. J., Patino L. C., Matias O. and Feigenson M. D. (2003) – Flux versus decompression melting at stratovolcanoes in southeastern Guatemala. *Journal of Volcanology and Geothermal Research*, 119, 21-50.

Cann J. R. (1969) - Spilites from the Carlsberg Ridge, Indian Ocean. *Journal of Petrology*, 10, 1–19.

Cannic S., Lapierre H., Moni P., Briquieu L. and Basile C. (2002) - Late orogenic evolution of the Variscan lithosphere: Nd isotopic constraints from the western Alps. *Schweiz. Mineral. Petrogr. Mitt.*, 82, 77–99.

Carcione L. (2007) - Sedimentology, biostratigraphy and mineralogy of the Lercara Formation (Triassic, Sicily) and its palaeogeographic implications. *Terre and Environnement*. 68; 247 pp. Ph.D. Thesis, Genève.

Carcione L., Vachard D., Martini R., Zaninetti L., Abate B., Lo Cicero G. and Montanari L. (2004) - Reworking of fusulinids and calcisphaerids in the Lercara Formation (Sicily, Italy); geological implications. *C. R. Palevol*. 3, 361–368.

Carminati E., Lustrino M., Cuffaro M. and Doglioni C. (2010) - Tectonics, magmatism and geodynamics of Italy. What we know and what we imagine. *J. Virt. Expl.*, 36, doi10.3809/2010.00226.

Carrigan C. W., Mukasa S. B., Haydoutov I. and Kolcheva K. (2005) – Age of Variscan magmatism from the Balkan sector of the orogen, central Bulgaria. *Lithos*, 82, 125-147.

Catalano R. (1998) - Struttura della Catena Siciliana. Una introduzione. In: Catalano R. and Lo Cicero G. (Eds.), *Guida alle Escursioni – Volume 1 – La Sicilia Occidentale*. 79° Congr. Soc. Geol. It., Palermo, 7-12.

Catalano R. and D'Argenio B. (1978) - An essay of palinspastic restoration across Western Sicily. *Geol. Rom.*, 17, 145-159.

Catalano R. and Montanari L. (1979) – Geologia dei monti di Trabia – Termini Imerese e dei Monti Sicani Orientali (Fogli Bagheria e Termini Imerese. Sicilia centro-settentrionale). *Rend. Soc. Nat. in Napoli IV*, XLVI, 1-27.

Catalano R., D'Argenio B., Gregor C. B., Nairn A. E. M. and Nardi G. and Renda P. (1984) - The Mesozoic Volcanics of Western Sicily. *Geologische Rundschau* 73, 2, 577- 598, Stuttgart.

Catalano R., Di Stefano P. and Kozur H. W. (1988) – New results in the Permian and Triassic stratigraphy of Sicily with special reference to the section at Torrente San Calogero, SW of the Pietra di Salomone (Sosio Valley). *Atti 74, Congr. Soc. Geol. It., Sorrento, A*, 126-135.

Catalano R., Di Stefano P. and Kozur H. W. (1991) - Permian circumpacific deep-water faunas from the western Tethys (Sicily, Italy) – new evidence for the position of the Permian Tethys. *Palaeogeography, Palaeoclimatology, Palaeoecology* 87, 75–108.

Catalano R., Di Stefano P. and Kozur H. W. (1992) - New data on Permian and Triassic stratigraphy of western Sicily. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 184, 25–61.

Cassinis G., Cortesogno L., Gaggero L., Perotti C. R. and Buzzi L. (2008) - Permian to Triassic geodynamic and magmatic evolution of the Brescian Prealps (eastern Lombardy, Italy). *Boll. Soc. Geol. It.*, 127, 501-518.

Cawthorn R. G. and Collerson K. D. (1974) - The recalculation of pyroxene end-member parameter and the estimation of ferrous and ferric iron contents from electron microprobe analyses. *Am. Mineral.* 59, 1203-1208.

- Cebriá J.M., López-Ruiz J., Doblas M., Martins L.T. and Munha J. (2003) - Geochemistry of the Early Jurassic Messejana–Plasencia dyke (Portugal–Spain); implications on the origin of the Central Atlantic Magmatic Province, *J. Petrol.* 44, 547–568.
- Censi P., Chiavetta S., Ferla P., Speziale S. and Di Stefano P., 2000 – Tholeiitic magmatites in Lower Permian turbidites from Western Sicily. *Mem. Soc. Geol. It.*, 55, 307-313.
- Christ H. A. (1960) - Beitrige zur Stratigraphie und Palaontologie des Malm von Westsizilien, Schweiz. *Palaeont. Abh.*, 77, 1-141.
- Cirilli S., Montanari L. and Panzanelli-Fratoni R. (1990) - Palynomorphs from the Lercara Formation (Sicily): new biostratigraphic data, *Boll. Soc. Geol. It.* 109 (1990) 123–133.
- Cirrincione R., Grasso M., Torelli L., Atzori P. and Mazzoleni P. (1995) - The porphyritic clasts of the Tortonian conglomerates of north-central Sicily: paleogeographic and paleotectonic implications. *Boll. Soc. Geol. It.*, 114, 131-145.
- Cirrincione R., Ortolano G., Pezzino A. and Punturo R. (2008) - Poly-orogenic multi-stage metamorphic evolution inferred via P–T pseudosections: an example from Aspromonte Massif basement rocks (Southern Calabria, Italy). *Lithos* 103, 466–502.
- Clague D. A. and Frey F. A. (1982) Petrology and trace element geochemistry of the Honolulu volcanics, Oahu: Implications for the oceanic mantle below Hawaii. *J. Petrol.* 23, 447–504.
- Cocherie A., Rossi P., Fouillac A.M. and Vidal P. (1994) – Relative importance of recycled- and mantle-derived material in granitoid genesis: an example from the Variscan batholith of Corsica studied by trace element and Nd–Sr–O isotope systematics. *Chem. Geol.*, 115, 137–211.
- Cocherie A., Rossi P., Fanning C. M. and Guerrot C. (2005) - Comparative use of TIMS and SHRIMP for U–Pb zircon dating of A-type granites and mafic tholeiitic layered complexes and dykes from the Corsican Batholith (France). *Lithos* 82, 185–219.
- Colonna V., Lorenzoni S. and Zanettin Lorenzoni E. (1973) - Sull'esistenza di due complessi metamorfici lungo il bordo sud-orientale del massiccio granitico delle Serre (Calabria). *Boll. Soc. Geol. It.*, 92, 841-860.
- Conticelli S., Laurenzi M. A., Giordano G. Mattei M., Avanzinelli R., Melluso L., Tommasini S., Boari E. et al. (2010) - Leucite-bearing (kamafugitic/leucitic) and –free (lamproitic) ultrapotassic rocks and associated shoshonites from Italy: constraints on petrogenesis and geodynamics. In: *The Geology of Italy: tectonics and life along plate margins.* (eds): M. Beltrando, A. Peccerillo, M. Mattei, S. Conticelli, C. Doglioni, *J. Virt. Expl.*, 36, 20ISSN 1441-8142.
- Cortesogno L., Cassinis G., Dallagiovanna G., Gaggero L., Oggiano G., Ronchi A., Seno S. and Vanossi M. (1998) - The post-Variscan volcanism in the Late Carboniferous–Permian sequences of Ligurian Alps, Southern Alps and Sardinia. *Lithos*, 45, 305–328.
- Cortesogno L., Gaggero L., Ronchi A. and Yanev S. (2004a) - Late orogenic magmatism and sedimentation within Late Carboniferous to Early Permian basins in the Balkan terrane (Bulgaria): geodynamic implications. *Int. J. Earth Sci. (Geol Rundsch)*, 93, 500–520.
- Cortesogno L., Gaggero L. and Yanev S. (2004b) - Anorogenic volcanism in the Triassic sequences at the boundary of the Moesian plate. *Geodin. Acta.*, 17, 55-69.
- Crisci G.M., Maccarrone E. and Rottura A. (1979) - Cittanova peraluminous granites (Calabria, Southern Italy). *Mineralogica et Petrographica Acta* 23, 279–302.
- Critelli S. and Le Pera E. (1998) – Post-Oligocene sediment-dispersal systems and unroofing history of the Calabrian microplate, Italy. *Int. Geol. Rev.*, 40, 609-637.

D'Amico C., Rottura A., Maccarrone E. and Puglisi G. (1982) - Peraluminous granitic suite of Calabria-Peloritani arc (Southern Italy). *Rend. Soc. It. Mineral. Petrol.*, 38, 35-52.

Dal Piaz G. V. (1993) – Evolution of Austro-Alpine and Upper Penninic basement in the northwestern Alps from Variscan convergence to post-Variscan extension. In J. Von Raumer and F. Neubauer (Eds): *Pre-Mesozoic geology in the Alps*. Springer-Verlag, 327-344.

Dal Piaz G. V. and Martin S. (1998) - Evoluzione litosferica e magmatismo nel dominio austro-sudalpino dall'orogenesi varisica al rifting mesozoico. *Boll. Soc. Geol. It.*, 127, 501-518.

Davies J. H. and Stevenson D. J. (1992) - Physical model of source region of subduction zone volcanics. *J. Geoph. Res.*, 97, 2037-2070.

De Gregorio S., Rotolo S.G. and Villa I. M. (2003) - Geochronology of the medium to high-grade metamorphic units of the Peloritani Mts., Sicily. *International Journal of Earth Sciences* 92 (6), 852-872.

Del Moro A., Maccarrone E., Pardini G. and Rottura A. (1982) - Studio radiometrico Rb/Sr di granitoidi peraluminosi dell'Arco Calabro Peloritano. *Rend. Soc. Ital. Mineral. Petrol.*, 38, 1015-1026.

Del Moro A., Paglionico A., Piccarreta G. and Rottura A. (1986) - Tectonic structure and post-Hercynian evolution of the Serre, Calabrian Arc, southern Italy: geological, petrological and radiometric evidences. *Tectonophysics* 124, 223-238.

Del Moro A., Fornelli A. and Piccarreta G. (2000) - Disequilibrium melting in granulite-facies metasedimentary rocks of the Northern Serre (Calabria-Southern Italy). *Miner. Petrol.*, 70, 89-104.

De Paolo D. J. (1981) - Trace elements and isotopic effects of combined wallrock assimilation and fractional crystallization. *Earth Planet Sci. Lett.* 53, 189-202.

De Vivo B., Ayuso R. A., Belkin A. E., Lima A., Messina A., Russo S. and Viscardi A. (1992) – Whole-rock geochemistry and fluid inclusions as exploration tools for mineral deposits assessment in the Serre batholith, Calabria, Southern Italy. *Eur. J. Mineral.*, 4, 1035-1051.

Dewey J.F., Helman M.L., Turco E., Hutton D.H.W. and Knott S.D. (1989) – Kinematics of the western Mediterranean. In: M.P. Coward, D. Dietrich and R.G. Park (Editors): *Alpine Tectonics*. Geological Society London Special Publications, 45, 265-283.

Dymek, R. F. (1983) - Titanium, aluminum and interlayer cation substitutions in biotite from high-grade gneisses, West Greenland. *American Mineralogist* 68, 880-899.

Di Stefano P. and Gullo M. (1997a) - Late Paleozoic–Early Mesozoic stratigraphy and paleogeography of Sicily. 87–99. In Catalano R. (ed.). *Time scales and basin dynamics. Sicily, the adjacent Mediterranean and other natural laboratories. Field workshop in Western Sicily*. Guidebook, Palermo, 164 pp.

Di Stefano P. and Gullo M. (1997b) - Permian deposits of Sicily: a review. *Geodiversitas* 19, 85–101.

Doglioni C. (1992) - Una interpretazione della tettonica globale. *Le Scienze*, 270, 32-42.

Di Battistini G., Bargossi G.M., Spotti G. and Toscani L. (1988) – Andesites of the Late Hercynian volcanic sequence in Trentino-Alto Adige, northern Italy. *Rend. Soc. Ital. Mineral. Petrol.* 43, 1087–1100.

Dickinson W. R. (1962) – Metasomatic quartz keratophyre in Central Oregon. *Am J Sci* 260, 249-266.

Doblas M., Oyarzun R., Sopena A., Lopez Ruiz J., Capote R., Hernandez Enrile J. L., Hoyos M., Lunar R. and Sanchez Moya Y. (1994) – Variscan-late Variscan-early Alpine progressive extensional collapse of central Spain. *Geodinamica Acta*, 7, pp. 1-14.

Doblas M., Oyarzun R., Lopez-Ruiz J., Cebria J. M., Youbi N., Mahecha V., Lago M., Pocovi´ A. and Cabanis B. (1998) Permo-Carboniferous volcanism in Europe and northwest Africa: a superplume exhaust valve in the centre of Pangaea? *J African Earth Sci* 26, 89–99.

Dubois R. (1976) – La suture Calabro-Apenninique Cret ace-Eocene et L'ouverture Tyrrhenienne Neogene: etude petrographique et structurale de la Calabre centrale. Thèse de Doctorat, Université Pierre et Marie Curie, 567 pp.

Ernst R. L. and Buchan K. L. (1997) – Giant radiating dyke swarms: their use in identifying pre-Mesozoic large igneous provinces and mantle plumes. In: Mahoney J.J. and Coffin M. F. (eds): Large igneous provinces: continental, oceanic and planetary flood volcanism. American Geophysical Union, Geophysical Monograph, 100, 297-333.

Ersoy Y. and Helvacı C. (2010) - FC–AFC–FCA and mixing modeler: A Microsofts Excel and spreadsheet program for modeling geochemical differentiation of magma by crystal fractionation, crustal assimilation and mixing. *Computers and Geosciences*, 36, 383–390.

Fazio E., Cirrincione R. and Pezzino A. (2008) - Estimating P–T conditions of Alpine-type metamorphism using multistage garnet in the tectonic windows of the Cardeto area (southern Aspromonte Massif, Calabria). *Mineralogy and Petrology* 93, 111–142.

Ferla P. (2000) - A model of continental crustal evolution in the geological history of the Peloritani Mountains (Sicily). *Memorie della Società Geologica Italiana* 55, 87–93

Fernandez-Suarez J., Dunning G.R., Jenner G.A. and Gutierrez- Alonso G. (2000) - Variscan collisional magmatism and deformation in NW Iberia: constraints from U–Pb geochronology of granitoids. *J. Geol. Soc. (Lond.)* 157, 565–576.

Festa V., Di Battista P., Caggianelli A. and Liotta D. (2003) - Exhumation and tilting of the late Hercynian continental crust in the Serre Massif (Southern Calabria – Italy). *Bollettino della Società Geologica Italiana* 2, 79–88.

Festa V., Langone A., Caggianelli A., Rottura A. (2010) - Dike magmatism in the Sila Grande (Calabria, southern Italy): Evidence of Pennsylvanian-Early Permian exhumation. *Geosphere*, 6 (5), 549-566.

Fiannacca P., Williams I. S., Cirrincione R. and Pezzino A. (2008) - Crustal Contributions to Late Hercynian Peraluminous Magmatism in the Southern Calabria Peloritani Orogen, Southern Italy: Petrogenetic Inferences and the Gondwana Connection. *J. Petrol.*, 49, 1897-1514.

Finger F. and Steyrer H. P. (1990) - I-type granitoids as indicators of a late-Paleozoic convergent ocean-continent margin along the southern flank of the Central European Variscan orogen. *Geology* 18, 1207-1210.

Finger F. and Steyrer H. P. (1991) - Comments and replies on "I-type granitoids as indicators of a late Paleozoic convergent ocean-continent margin along the southern flank of the central Variscan orogen". *Geology*, 20, 1245-1248

Finger F., Roberts M. P., Haunschmid B., Schermaier A. and Steyrer H. P. (1997) – Variscan granitoids of central Europe: their typology, potential sources and tectothermal relations. *Mineralogy and Petrology*, 61, 67-96.

Floyd P. A. and Winchester J. A. (1975) - Magma Type and Tectonic Setting Discrimination using immobile trace elements. *Earth Planet. Sci. Lett.* 27, 211—218.

Floridia G. B. (1954) - A proposito di alcuni nuovi ritrovamenti di manifestazioni eruttive nella Sicilia Occidentale. *Plinia*, 5, 1-20.

- Fodor R. V., Corwin C. and Sial A. N. (1985) – Crustal signature in the Serra Geral flood basalt province, Southern Brazil: O- and Sr- isotope evidences. *Geology*, 13, 763 -765.
- Foley S. F. (1992) - Petrological characterization of the source components of potassic magmas: geochemical and experimental constraints. *Lithos* 28, 187–204.
- Fornelli A., Caggianelli A., Del Moro A., Bargossi G.M., Paglionico A., Piccarreta G. and Rottura A. (1994) - Petrology and evolution of the central Serre granitoids (Southern Calabria – Italy). *Periodico di Mineralogia* 63, 53–70.
- Frey F. A., Green D. H. and Roy S. D. (1978) - Integrated models of basalt petrogenesis: a study of quartz tholeiites to olivine melilitites from south eastern Australia utilizing geochemical and experimental petrological data. *J Petrol* 19:463–513
- Frey M. and Robinson D. (1999) – Low-grade metamorphism. Blackwell Science, pp. 313.
- Frey M., De Capitani D. and Liou J. G. (1991) – A new petrogenetic grid for low grade metabasites. *J. Metamorphic Geology*, 9, 497-501.
- Gerdes A., Friedl G., Parrish R.R. and Finger F. (2003) - Highresolution geochronology of Variscan granite emplacement - the South Bohemian Batholith. *J. Czech Geol. Soc.* 48, 53– 54.
- Ghisetti F., Scarpa R. and Vezzani L. (1982) – Seismic activity, deep structures and deformation processes in the Calabrian arc, Southern Italy. *Earth Evolution Sciences*, 3, 248-260.
- Gill J. B. (1981) - *Orogenic Andesites and Plate Tectonics*. Berlin
- Gorton M. P. and Schandl E. S. (2000) - From continent to island arcs: a geochemical index of tectonic setting for arc related and within plate felsic to intermediate volcanic rocks. *The Canadian Mineralogist*, 38, 1065-1073.
- Graessner T., Schenck V., Brocker M. and Mezger K. (2000) - Geochronological constraints on timing of granitoid magmatism, metamorphism and post-metamorphic cooling in the Hercynian crustal cross-section of Calabria. *J. Metam. Geol.*, 18, 409-421.
- Grandjacquet C. and Mascle G. (1978) – The structure of the Ionian Sea, Sicily and Calabria-Lucania. In: “Ocean Basins and Margins” (A.E.M. Nairn, W.H. Kanes and F.G. Stehli Ed.s), 4b, 257-329, Plenum Press, New York.
- Grasso M. and Scribano V. (1985) – Geological and petrological notes on a Triassic sill on the southern slope of Mt. Altesina (Central Sicily): a contribution to the knowledge of the Triassic magmatism in Sicily. *Boll. Soc. Geol. Ital.*, 104, 229-238.
- Grasso, M., Nairn, A.E.M. and Schmincke H.-U. (1993) - Allochthonous late Triassic intrusions, Mount Altesina, central Sicily: geological setting, geochemical and paleomagnetic observations. *Bollettino della Società Geologica Italiana*, 112, 3–14.
- Grasso M., Miuccio G., Maniscalco R., Garofalo P., La Manna F. and Stamilla R. (1995) - Plio-Pleistocene structural evolution of the western margin of the Hyblean Plateau and the Maghrebian foredeep, SE Sicily. Implications for the deformational history of the Gela Nappe. *Annales Tettonicae*, 9, 7-21.
- Grove T. L. and Kinzler R. J. (1986) - Petrogenesis of andesites. *Annu. Rev. Earth Planet. Sci.*, 14, 417-454.
- Gueguen E., Doglioni C. and Fernandez M. (1998) - On the post-25 Ma geodynamic evolution of the western Mediterranean. *Tectonophysics*, 298, 259–269.

Guerrera F., Martín-Algarra A. and Perrone V. (1993) - Late Oligocene-Miocene syn-late-orogenic successions in Western and Central Mediterranean Chains from the Betic Cordillera to the Southern Apennines. *Terra Nova*, 5, 525–544.

Gurrieri S. (1980) - Le metamorfiti intruse dal plutone di Cittanova (Calabria meridionale). *Periodico di Mineralogia* 49 (3), 175–201.

Haccard D., Lorentz C. and Grandjacquet C. (1972) - Essai sur l'évolution tectogénétique de la liaison Alpes-Apennines (de la Ligurie à la Calabre). *Mem. Soc. Geol. Ital.*, 11, 309–341.

Hall A. (1990) - Geochemistry of spilites from South-West England: a statistical approach. *Mineralogy and Petrology*, 41, 185–197.

Hawkesworth C. J., Gallagher K., Hergt J. M. and McDermott F. (1993) - Mantle slab contributions in arc magmas. *Annu. Rev. Earth Planet. Sci.*, 21, 175–204.

Hawkesworth C.J., Turner S., Gallagher K., Hunter A., Bradshaw T. and Rogers N. (1995) – Calc-alkaline magmatism, lithosphere thinning and extension in the Basin and Range. *Journal of Geophysical Research*, 100, 10271–10286.

Hellman P.L. and Henderson P. (1977) - Are rare earth elements mobile during spilitisation? *Nature*, 267, 38–40.

Heeremans M., Faleide J.I. and Larsen B.T. (2004) - Late Carboniferous-Permian of NW Europe: an introduction to a new regional map. In: Wilson M, Neumann ER, Davies GR, Timmerman MJ, Heeremans M, Larsen B (eds) *Permo-Carboniferous magmatism and rifting in Europe*. *Geol Soc London Spec Publ*, vol 223, London, 75–88.

Hersoy C. and Griffin W. L. (1983) - Metamorphic Feldspathization of Metavolcanics and Granitoids, Avnik Area, Turkey. *Contrib Mineral Petrol*, 83, 309–319.

Hibbard M.J. (1995) - *Petrography to Petrogenesis*. Prentice Hall, New Jersey.

Hibbard M.J. (1991) - Textural anatomy of twelve magma mixed granitoid systems. In: Didier J. and Barbarin B. (eds), *Enclaves and Granite Petrology: Development in Petrology 13*. Elsevier, Amsterdam, 431–444.

Hofmann A.W. (1997) - Mantle geochemistry: the message from oceanic volcanism. *Nature* 385, 219–229.

Hofmann A.W., Jochu K.P., Seufert M. and White W.M. (1986) - Nd and Pb in oceanic basalts: new constraints on mantle evolution. *Earth and Planetary Science Letters* 79, 33–45.

Hoernle K. and Schmincke H.U. (1993) - The role of partial melting in the 15-Ma geochemical evolution of Gran Canaria: A blob model for the Canary Hotspot. *Journal of Petrology*, v. 34, p. 599–626.

Hsu K. J. (1994) – Tectonic facies in an archipelago model of intra-plate orogenesis. *GSA Today* 4, 12, 289–293.

Humphris S. E., Thompson G., Schilling J. G. and Kingsley R. A. (1985) - Petrological and geochemical variations along the Mid-Atlantic Ridge between 46°S and 32°S: influence of the Tristan de Cunha mantle plume. *Geochim. Cosmochim. Acta*, 49, 1445–64.

James D. E. (1981) The combined use of oxygen and radiogenic isotopes as indicators of crustal contamination. *Ann Rev Earth Planet Sci* 9:311–344.

Janousek V. and Gerdes A. (2003) - Timing the magmatic activity within the Central Bohemian Pluton, Czech Republic: conventional U–Pb ages for the Sa'zava and Tabor intrusions and their geotectonic significance. *J. Czech Geol. Soc.* 48, 70–71.

Janousek V., Bowes D.R., Rogers G., Farrow C.M. and Jelinek E. (2000) - Modelling diverse processes in the petrogenesis of a Composite Batholith: the Central Bohemian Pluton, Central European Hercynides. *J. Petrol.*, 41, 511-543.

Janousek V., Braithwaite C.J.R., Bowes D.R. and Gerdes A. (2004) - Magma mixing in the genesis of Hercynian calcalkaline granitoids: an integrated petrographic and geochemical study of the Sazava intrusion, Central Bohemian Pluton, Czech Republic. *Lithos*, 82, 67– 99.

Johnson R. W., Mackenzie D. E. and Smith I. E. M. (1978) – Delayed partial melting of subduction-modified mantle in Papua New Guinea: 1. *Tectonophysics*, 46, 197-216.

Joron J. L. and Treuil M. (1989) – Hygromagmaphile element distribution in oceanic basalts as fingerprints of partial melting and mantle heterogeneities: a specific approach and proposal of an identification and modeling method. In: “Magmatism in the Ocean Basins”. Saunders, A. D. and Norry M. J. (eds.), *Geol. Soc. Lond. Spec. Publ.*, 42, 277-299.

Klotzli, U.S., Koller, F., Scharbert, S. and Hočková V. (2001) - Cadomian lower-crustal contributions to Variscan granite petrogenesis (South Bohemian Pluton, Austria): constraints from zircon typology and geochronology, whole-rock, and feldspar Pb–Sr isotope systematics. *J. Petrol.* 42, 1621–1642

Knott S. D. (1987) – The liguride complex of southern Italy – Cretaceous to Paleogene accretionary wedge. *Tectonophysics*, 142, 217–226.

Kozur H.W. (1995) - First evidence of Middle Permian Ammonitico Rosso and further new stratigraphic results in the Permian and Triassic of the Sosio Valley area, Western Sicily. 1st Croatian Geological congress. *Zbornik radova proceedings, Opatija, Abstracts*, 307–310.

Kumar S. and Pieru T. (2010) - Petrography and Major Elements Geochemistry of Microgranular Enclaves and Neoproterozoic Granitoids of South Khasi, Meghalaya: Evidence of Magma Mixing and Alkali Diffusion. *J. Geol. Soc. India*, 76, 345-360

Innocent C., Briquieu L. and Cabanis B. (1994) - Sr-Nd isotope and trace element geochemistry of late Variscan volcanism in the Pyrenees: Magmatism in post-orogenic extension? *Tectonophysics*, 238, 161–181.

Innocenti F., Agostini S., Di Vincenzo G., Doglioni C., Manetti P., Savascin M.Y. and Tonarini S. (2005) - Neogene and Quaternary volcanism in western Anatolia: magma sources and geodynamic evolution. *Mar. Geol.*, 221, 397–421.

Ionov D. A., Mukasa S. B. and Bodinier J.L. (2002) - Sr–Nd–Pb Isotopic Compositions of Peridotite Xenoliths from Spitsbergen: Numerical Modelling Indicates Sr–Nd Decoupling in the Mantle by Melt Percolation Metasomatism. *J. Petrology*, 43 (12), 2261-2278.

Irvine T. N. and Baragar W. R. A. (1971) - A guide to the chemical classification of the common volcanic rocks. *Canadian Journal of Earth Sciences*, 8, 523-548.

Lago M., Arranz E., Pocovi A., Galè C. and Gil-Imaz A. (2004) - Permian magmatism and basin dynamics in the southern Pyrenees: a record of the transition from late Variscan transtension to early Alpine extension. In: *Permo-Carboniferous magmatism and rifting in Europe*. (eds): M. Wilson, E. R. Neumann, M. J. Timmerman, M. Heeremans and B. Larsen, *Geol. Soc., London, Spec. Publ.*, vol 223, London, 439-464

Lago M., Gil A., Pocovi A., Arranz E., Bastida J., Auque L., Lapuente M.P. (1996) - Rasgos geológicos del magmatismo Autuniense en la Sierra de Albarracín (Cadena Iberica occidental). *Cuadernos de Geología Iberica* 20, 139– 157.

Larson R. L. (1991) – Geological consequences of superplums. *Geology*, 19, 963-966.

- Leake B. E., Wolley A. R., Arps C. E. S., Birch W. D., Gilbert M. C., Grice J. D., Hawthorne F. C., Kato A., Kish H., Krivovichev V. G., Linthout K., Laird J., Mandarino J. A., Maresch W. V., Nickel E. H., Rock N. M. S., Schumacher J. C., Stephenson N. C. N., Ungaretti L., Whittaker E. J. W., Youzhi G. (1997) - Nomenclature of amphibole. Report of the subcommittee on amphiboles of the International Mineralogical Association, Commission on new minerals and mineral names. *Can. Mineral*, 35, 219–246.
- Ledru P., Lardeaux J. M., Santallier D., Autran A., Quenardel J. M., Floch J. P., Lerouge G., Maillet N., Marchand J. and Plochin A. (1989) - Où sont les nappes dans le Massif Central français? *Bull. Soc. Geol. Franc.*, 8, 605-618.
- Ledru P., Courrioux G., Dallain C., Lardeaux J. M., Montel J. M., Vanderhague O. and Vitel G. (2001) - The Velay dome (French Massif Central): melt generation and granite emplacement during orogenic evolution. *Tectonophysics*, 342, 207-237.
- Le Bas M.J., Le Maitre R.W., Streckeisen A. and Zanettin, B. (1986) - A chemical classification of volcanic rocks based on the total alkalisilica diagram. *Journal of Petrology* 27, 745–750.
- Le Maitre R.W., Bateman P., Dudek A., Keller J., Lameyre J., Le Bas M.J., Sabine P.A., Schmid R., Sorensen H., Streckeisen A., Wooley A.R. and Zanettin B. (1989) - Classification of igneous rocks and glossary of terms. Blackwell scientific publications, Oxford, 193 pp.
- Le Maitre R. W., Streckeisen A., Zanettin B., Le Bas M. J., Bonin B., Bateman P., Bellieni G., Dudek A., Efremova S., Keller J., Lamere J., Sabine P. A., Schmid R., Sorensen H. and Woolley A. R. (2002) - *Igneous Rocks: A Classification and Glossary of Terms, Recommendations of the International Union of Geological Sciences, Subcommittee of the Systematics of Igneous Rocks*. Cambridge University Press.
- Letierri J., Maury, R., Thonon, P., Girard, D., Marchal, M. (1982) - Clinopyroxene composition as a method of identification of the magmatic affinities of paleo-volcanic series. *Earth and Planetary Sciences Letters*, 59, 139-154.
- Liberi F., Morten L. and Piluso E. (2006) - Geodynamic significance of ophiolites within the Calabrian Arc. *Island Arc* 15, 26–43.
- Liberi F., Piluso E. and Langone A. (2011) - Permo-Triassic thermal events in the lower Variscan continental crust section of the Northern Calabrian Arc, Southern Italy: insights from petrological data and in situ U-Pb zircon geochronology on gabbros. doi: 10.1016/j.lithos.2011.02.016
- Lickorish W.H., Grasso M., Butler R. W. H., Argnani A. and Maniscalco R. (1999) - Structural styles and regional tectonic setting of the “Gela Nappe” and frontal part of the Maghrebian thrust belt in Sicily. *Tectonics*, 18, 655-668.
- Linnemann U., McNaughton N. J., Romer R. L., Gehmlich M., Drost K. and Tonk C. (2004) - West African provenance for Saxo-Thuringia (Bohemian Massif): Did Armorica ever leave pre-Pangean Gondwana? – U/Pb-SHRIMP zircon evidence and the Nd-isotopic record. *Int. J. Earth. Sci.* 93, 5, 683-705.
- Liotta D., Caggianelli A., Kruhl J., Festa V., Prosser G. and Langone A. (2008) - Multiple injections of magmas along a Hercynian mid-crustal shear zone (Sila Massif, Calabria, Italy). *Journal of Structural Geology* 30, 1202–1217.
- Lorenz V. and Nicholls I. A. (1984) – Plate and intraplate processes of Hercynian Europe during the late Paleozoic. *Tectonophysics*, 107, 25-56.
- Lofgren C. (1979) – Do leptytes represent Precambrian island arc rocks? *Lithos*, 12, 159-165.
- Lucido G., Nuccio P. M., Valenza M. and Giunta G. (1978) - Magmatism in the Sicano basin (Sicily) related to Meso-Cenozoic tectonics of the North-African paleomargin. *Miner. Petrog. Acta* 22, 55-59.

- Lustrino M. (2000) - Phanerozoic geodynamic evolution of the circum-Italian realm. *Int. Geol. Rev.*, 42, 724-757.
- Lustrino M., Morra V., Fedele L. and Serracino M. (2007) - The transition between “orogenic” and “anorogenic” magmatism in the western Mediterranean area: the Middle Miocene volcanic rocks from Isola del Toro (SW Sardinia, Italy). *Terra Nova* 19, 148–159.
- Lustrino M., Morra V., Fedele L. and Franciosi L. (2009) - Beginning of the Apennine subduction system in central western Mediterranean: constraints from Cenozoic “orogenic” magmatic activity of Sardinia (Italy). *Tectonics*, 28, TC5016, doi:10. 1029/2008TC002419.
- Lustrino M., Duggen S. and Rosenberg C. (2011) - The Central-Western Mediterranean: anomalous igneous activity in an anomalous collisional tectonic setting. *Earth Sci. Rev.*, 104, 1-40.
- Magnusson NH, 1970 – The origin of the iron ores in Central Sweden and the history of their alterations. Part I, *Sveriges Geol Unders C* 643, p 127.
- Malavieille J., Guillot P., Costa S., Lardeaux J. M. and Gardien V. (1990) - Collapse of the thickened Variscan crust in the French Massif Central: Mont Pilat extensional shear zone and St. Etienne Late Carboniferous basin. *Tectonophysics* 177, 139–149
- Masle G. H. (1979) - Etude geologique des Monts Sicani. *Riv. Ital. Paleont. Strat. Mere.*, 16, 431.
- Matte P. (1986) – Tectonics and plate tectonics model for the Variscan belt of Europe. *Tectonophysics*, 126, 329-374.
- Matte P. (1991) – Accretionary history and crustal evolution of the Variscan belt in Western Europe. *Tectonophysics*, 196, 309-337.
- Matte P. (2001) – The Variscan collage and orogeny (480-290 Ma) and the tectonic definition of the Armorica microplate: a review. *Terra Nova*, 13, 122-128.
- Mazzoli S. and Helman M. (1994) - Neogene patterns of relative motion for Africa–Europe: some implications for recent central Mediterranean tectonics. *Geologische Rundschau* 83, 464–468.
- McDonald R., Rogers N.W., Fitton J.G., Black S., Smith M. (2001) - Plume-lithosphere interactions in the generation of the basalts of the Kenya rift, East Africa, *J. Petrol.* 42,877–900.
- McDonough W. F. and Sun Ss. (1995) - The composition of the Earth. *Chemical Geology*, 120, 223–253.
- McKenzie D. (1989) - Some remarks on the movement of small melt fractions in the mantle. *Earth Planet Sci Lett* 95:53–72.
- Menard G. and Molnar P. (1988) – Collapse of a Hercynian Tibetan plateau into a late Paleozoic European Basin and Range province. *Nature*, 334, 235-237.
- Meschede M. (1986) - A method of discriminating between different types of mid-ocean ridge basalts and continental tholeiites with the Nb–Zr–Y diagram. *Chem. Geol.* 56, 207–218.
- Micheletti F., Barbey P., Fornelli A., Piccarreta G. and Deloule E. (2007) - Latest Precambrian to Early Cambrian U–Pb zircon ages of augen gneisses from Calabria (Italy), with inference to the Alboran microplate in the evolution of the peri-Gondwana terranes. *International Journal of Earth Sciences* 96, 843–860.
- Miller C. F., Stoddard E. F., Bradfish L. J. and Dollase W. D. (1981) - Composition of plutonic muscovite: genetic implications. *Canadian Mineralogist*, 19, 25-34.

- Monaco C. and Tortorici L. (1995) - Tectonic role of ophiolite-bearing terranes in the development of the Southern Apennine orogenic belt. *Terra Nova*, 7, 153-160.
- Monier G., Mergoil-Daniel J. and Labemardidre H. (1984) - Generations succesives de muscovites et feldspaths potassiques dans les leucogranite du massif de Millevaches (Massif Central francais). *Bulletin de Mineralogie*, 107, 55-68.
- Montanari L. (1968) - Materiale per la geologia dell'Alto-Lercarese (Sicilia), *Bol. Soc. Geol. It.* 87, 133-142.
- Montanari L. (1987a) – dati stratigrafici sui basalti e sulle megabrecce paleo genici del dominio Sicano (Sicilia). *Rendic. Soc. Geol. It.*, 10, 65-66.
- Montanari L. (1987b) – Lineamenti stratigrafico-paleogeografici della Sicilia durante il ciclo Alpino. *Mem. Soc. Geol., It.*, 38, 361-406.
- Montanari L. and Panzanelli Fratoni R. (1990) - A comparison between the Lercara Formation (Sicily) and the Monte Facito Formation (Southern Apennines). *Bollettino della Società Geologica Italiana* 109, 115-121.
- Moresi M., Paglionico A., Piccarretta G. and Rottura A. (1979) – The deep crust in Calabria (Polia Copanello unit): a comparison with the Ivrea-Verbano zone. *Mem. Sci. Geol. Padova*, 33, 233-242.
- Morimoto N. (1988) - Nomenclature of pyroxenes. *Mineralogical Magazine* 52, 535-550.
- Munha J., Fyfe WS. and Kerrich R. (1980) – Adularia, the characteristic mineral of felsic spilites. *Contrib Mineral Petrol* 75, 15-20.
- Muttoni G., Kent D. V., Garzanti E., Brack P., Abrahamsen N. and Gaetani M. (2003) - Early Permian Pangea 'B' to Late Permian Pangea 'A'. *Earth Planet Sci Lett* 215, 379-394.
- Nakamura N. (1974) - Determination of REE, Ba, Fe, Mg, Na and K in carbonaceous and ordinary chondrites. *Geochimica et Cosmochimica Acta*, 38, 757-775.
- Nance R.D., Gutiérrez-Alonso G., Keppie J.D., Linnemann U., Murphy J.B., Quesada C., Strachan R.A. and Woodcock N.H. (2010) - Evolution of the Rheic Ocean. *Gondwana Research* 17 (2-3), 194-222.
- Navon O. and Stolper E (1987) - Geochemical consequences of melt percolation; the upper mantle as a chromatographic column. *J Geol*, 95:285-307
- Neumann E. R., Wilson M., Heeremans M., Spencer E. A., Obst K., Timmerman M. J. and Kirstein L. (2004) - Carboniferous-Permian rifting and magmatism in southern Scandinavia, the North Sea and northern Germany: a review. In: Wilson M, Neumann ER, Davies GR, Timmerman MJ, Heeremans M, Larsen B (eds) *Permo-Carboniferous magmatism and rifting in Europe*. *Geol Soc London Spec Publ*, vol 223, London, 11-40.
- Nikishin AM, Ziegler PA, Abbott D, Brunet MF and Cloetingh S. (2002) - Permo-Triassic intraplate magmatism and rifting in Eurasia: implications for mantle plumes and mantle dynamics. *Tectonophysics* 351, 3-39.
- Obst K., Solyom Z. and Johansson L. (2004) - Permo-Carboniferous extension-related magmatism at the SW margin of the Fennoscandian Shield. In: Wilson M, Neumann ER, Davies GR, Timmerman MJ, Heeremans M, Larsen B (eds) *Permo-Carboniferous magmatism and rifting in Europe*. *Geol Soc London Spec Publ*, vol 223, London, 259-288.
- Ogniben L. (1960) - Nota illustrativa dello schema geologico della Sicilia nord-orientale. *Riv. Min. Sic.*, 11, 183-212.

- Ogniben L. (1969) – Schema introduttivo alla geologia del confine calabro-lucano. *Mem. Soc. Geol. It.*, 8, 453–763.
- Ogniben L. (1973) – Schema geologico della Calabria in base ai dati odierni. *Geol. Romana*, 12, 243–585.
- Ogniben L. (1985) - Relazione sul modello geodinamico “conservativo” della regione italiana, Commissione ENEA-ENEL per lo studio dei problemi sismici connessi con la realizzazione di impianti nucleari. ENEA, Roma.
- Orejana D., Villaseca C., Billstrom K. and Paterson B. A. (2008) - Petrogenesis of Permian alkaline lamprophyres and diabases from the Spanish Central System and their geodynamic context within western Europe. *Contrib. Mineral. Petrol.*, Doi: 10.1007/s00410-008-0297-x.
- Ortolano G., Cirrincione R. and Pezzino A. (2005) - P–T evolution of Alpine metamorphism in the southern Aspromonte Massif (Calabria – Italy). *Swiss Bulletin of Mineralogy and Petrology* 85, 31–56.
- Palivcova M., Waldhausrova J. and Ledvinkova V. (1995) - Ocelli in mafic rocks of granitic complexes. *Krystalinikum*, 22, 149–186.
- Papike J.J., Cameron K and Baldwin K. (1974) – Amphibole and pyroxenes: characterization of other than quadrilateral components and estimates of ferric iron from microprobe data. *Bull. Geol. Soc. Amer.*, 6, 1053-1054.
- Parak T. (1975) – The origin of the Kiruna iron ores. *Sveriges Geol Unders C*, 709, p 209.
- Patino Douce A. E. (1999) - What do experiments tell us about the relative contributions of crust and mantle to the origin of granitic magmas? In: *Understanding granites: Integrating new and classical techniques*. (eds): A. Castro, C. Fernandez, J. L. Vigneresse, Geol. Soc., London, Spec. Publ., 168, 55-75.
- Peacock S. M. (1990) - Fluid processes in subduction zones. *Science* 248, 329–337.
- Pearce J. A. (1982) - Trace elements characteristics of lavas from destructive plate boundaries. In: *Thorpe R. S. (Eds), Andesites*, John Wiley and Sons.
- Pearce J. A. (1983) - The role of sub-continental lithosphere in magma genesis at destructive plate margins. In: *Continental basalts and mantle xenoliths*. (eds): C. J. Hawkesworth, M. J. Norry, Nantwich: Shiva, 230-249.
- Pearce J. A. (1996) - Sources and settings of granitic rocks. *Episodes*, 19, 120–125.
- Pearce J. A. and Peate D. W. (1995) - Tectonic implications of the composition of volcanic arc magma. *Annu. Rev. Earth Planet. Sci.*, 23, 251-285.
- Pearce J. A., Harris N.B.W. and Tindle A. G. (1984) – Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *J. Petrol.*, 25, 956-983.
- Peccerillo A. and Taylor S. R. (1976) - Geochemistry of Eocene calcalkaline volcanic rocks from the Kastamonu area, northern Turkey. *Contribution to Mineralogy and Petrology*, 58,63-81.
- Peccerillo A. and Martinotti G. (2006) - The Western Mediterranean lamproitic magmatism: origin and geodynamic significance. *Terra Nova*, 18, 109–117.
- Perini G., Cebria J. M., Ruiz J. L. and Doblas M. (2004) - Carboniferous-Permian mafic magmatism of volcanic and subvolcanic rocks in the Variscan belt of Spain and France: implications for mantle sources. In: *Permo-Carboniferous Rifting and Magmatism in Europe*. (eds): M. Wilson, E. R. Neumann, G. R. Davies, M. J. Timmerman, M. Heeremans, B. T. Larsen, Geol. Soc. London, Spec. Publ, 223, 415-438.

Pezzino A. (1982) - Confronti petrografici e strutturali tra i basamenti metamorfici delle unità inferiori dei Monti Peloritani (Sicilia). *Periodico di Mineralogia* 1, 35–50.

Pezzino A., Angì G., Fazio E., Fiannacca P., Lo Giudice A., Ortolano G., Punturo R., Cirrincione R. and De Vuono E. (2008) - Alpine metamorphism in the Aspromonte Massif: implications for a new framework for the southern sector of the Calabria-Peloritani Orogen (Italy). *International Geology Review* 50, 423–441.

Quick J.E., Sinigoi S., Negrini L., Demarchi G and Mayer A. (1992) – Synmagmatic deformation in the underplated igneous complex of the Ivrea-Verbanò zone. *Geology* 20, 613–616.

Riley R. T., Leat P. T., Curtis M. L., Millar I. L., Duncan R. A and Fazel A. (2005) – Early-middle Jurassic dolerite dykes from Western Dronning Maud Land (Antarctica): Identifying mantle sources in the Karoo large igneous province. *Journal of Petrology*, 46, 1489–1524.

Rock N. M. S. (1991) - *Lamprophyres*. Blackie, Glasgow, pp 285.

Rollinson, H., 1993. Using geochemical data: evaluation, presentation, interpretation. Longman, Essex, pp. 352.

Rosenbaum G., Lister G. S. and Duboz C. (2002) - Relative motions of Africa, Iberia and Europe during Alpine orogeny. *Tectonophysics*, 359, 117–129.

Rosenberg C. L. (2004) - Shear zones and magma ascent: a model based on a review of the Tertiary magmatism in the Alps. *Tectonics*, 23, Doi:10.1029/2003TC001526.

Rottura A., Bargossi G. M., Caironi V., Del Moro A., Maccarrone E., Macera P., Paglionico A., Petrini R., Piccarreta G. and Poli G. (1990) – Petrogenesis of contrasting Hercynian granitoids from the Calabrian Arc, southern Italy. *Lithos*, 24, 97–119.

Rottura A., Del Moro A., Pinarelli L., Petrini R., Peccerillo A., Caggianelli A., Bargossi G. and Piccarreta G. (1991) - Relationships between intermediate and acidic rocks in orogenic granitoid suite: petrological, geochemical and isotopic (Sr, Nd, Pb) data from Capo Vaticano (Southern Calabria, Italy). *Chem. Geol.*, 92, 153–176.

Rottura A., Caggianelli A., Campana R. and Del Moro A. (1993) – Petrogenesis of Hercynian peraluminous granites from the Calabrian Arc, Italy. *Eur. J. Mineral.*, 5, 737–754.

Rottura A., Bargossi G. M., Caggianelli A., Del Moro A., Visonà D. and Tranne C. A. (1998) – Origin and significance of the Permian high-K calc-alkaline magmatism in the central-eastern Southern Alps, Italy. *Lithos*, 45, 329–348.

Roure F., Howell D.G., Muller C. and Moretti I. (1990) - Late Cenozoic subduction complex of Sicily. *Journ. Struct. Geol.*, 12, 259–266.

Rudnick R. L. and Fountain D. M. (1995) - Nature and composition of the continental crust: a lower crustal perspective. *Reviews of Geophysics* 33, 267–309.

Rudnick R.L. and Gao S. (2003) - The Composition of the Continental Crust, pp. 1–64. In *The Crust* (ed. R.L. Rudnick) Vol. 3, *Treatise on Geochemistry* (eds. H.D. Holland and K.K. Turekian), Elsevier-Pergamon, Oxford.

Şahin S. Y., Örgün Y., Gungör Y., Goker A. F., Gultekin A. H. and Karacik Z. (2010) - Mineral and Whole-rock Geochemistry of the Kestanel Granitoid (Ezine-Çanakkale) and Mafic Microgranular Enclaves in Northwestern Anatolia: Evidence of Felsic and Mafic Magma Interaction. *Turkish Journal of Earth Sciences*, 19, 101–122.

- Schaltegger U. (1994) - Unravelling the pre-Mesozoic history of Aar and Gotthard massifs (Central Alps) by isotopic dating—a review. *Schweiz. Mineral. Petrogr. Mitt.* 74, 41–51.
- Schaltegger U. (1997) - Magma pulses in the Central Variscan Belt: episodic melt generation and emplacement during lithospheric thinning. *Terra Nova* 9, 242–245.
- Schaltegger U. (2000) - U–Pb geochronology of the Southern Black Forest Batholith (central Variscan belt): timing of exhumation and granite emplacement. *Int. J. Earth Sci.* 88, 814–828.
- Schaltegger U. and Corfu F. (1992) - The age and source of Late Hercynian magmatism in the central Alps: evidence from precise U–Pb ages and initial Hf isotopes. *Contrib. Mineral. Petrol.* 111, 329–344.
- Schaltegger U., Schneider J.-L., Maurin J.-C., Corfu F. (1996) - Precise U–Pb chronometry of 345–340 Ma old magmatism related to syn-convergence extension in the southern Vosges (central Variscan belt). *Earth Planet. Sci. Lett.* 144, 403–419.
- Schaltegger U., Fanning C.M., Gqnthner D., Maurin J.C., Schulmann K. and Gebauer D. (1999) - Growth, annealing and recrystallization of zircon and preservation of monazite in highgrade metamorphism: conventional and in-situ U–Pb isotope, cathodoluminescence and microchemical evidence. *Contrib. Mineral. Petrol.* 134, 186–201.
- Schenk V. (1980) - U-Pb and Rb-Sr radiometric dates and their correlation with metamorphic events in the granulitic-facies basement of the Serra, Southern Calabria (Italy). *Contrib. Mineral. Petrol.*, 73, 23-38.
- Schenk V. (1981) – Synchronous uplift of the lower crust of the Ivrea Zone and of Southern Calabria and its possible consequences for the Hercynian orogeny in southern Europe. *Earth Planet. Sci. Lett.*, 56, 305-320.
- Schenk V. (1984) - Petrology of felsic granulites, metapelites, metabasics, ultramafics, and metacarbonates from southern Calabria (Italy): prograde metamorphism, uplift and cooling of a former lower crust. *J. Petrol.*, 25, 255-298.
- Schenk V. (1989) - P–T–t path of the lower crust in the Hercynian fold belt of southern Calabria. In: Daly J.S., Cliff R.A., Yardley B.W.D. (Eds.), *Evolution of metamorphic belts: Geological Society of London, Special Publication*, vol. 43, 337–342.
- Schenk V. (1990) - The exposed crustal cross section of southern Calabria, Italy: structure and evolution of a segment of Hercynian crust. In: Salisbury M. H., Fountain D. M. (Eds), *Exposed cross section of the continental crust*. Kluwer Dordrecht, The Netherlands, 21-42.
- Schiffman P. and Day H. W. (1995) – Low grade metamorphism of mafic rocks. *Review of Geophysics (Suppl.)*, 81-86.
- Schmidt di Friedberg P., Barbieri F. and Giannini G. (1960) - La geologia del gruppo montuoso delle Madonie. *Bollettino Servizio Geologico Italiano* 81, 73–140.
- Schmidt di Friedberg P. (1963) - Litostratigrafia petrolifera della Sicilia. *Riv. Min. Sic.*, 88-90.
- Schmidt di Friedberg P. (1964) - Litostratigrafia petrolifera della Sicilia, *Riv. Min. Sic.*, 43, 167-208.
- Schmidt di Friedberg P. (1965) - Litostratigrafia petrolifera della Sicilia, *Riv. Min. Sic.*, 43 88–93.
- Schulmann K., Schaltegger U., Jezek J., Thompson A.B., Edel J.-B. (2002) - Rapid burial and exhumation during orogeny: thickening and synconvergent exhumation of thermally weakened and thinned crust (Variscan orogen in western Europe). *Am. J. Sci.* 302, 856– 879.

- Scotese C.R. and McKerrow W.S. (1990) - Revised world maps and introduction. In: Palaeozoic Palaeogeography and Bio- geography (W.S. McKerrow and C.R.Scotese, eds). Mem. Geol. Soc. London, 12, 1-21.
- Scotese C.R. and Golonka J. (1992) - Paleogeographic Atlas, PALEOMAP Progress Report 20-0692, Department of Geology, University of Texas at Arlington, 34 pp.
- Shaw D.M., Vatin- Perignon N. and Muysson J.R. (1977) - Lithium in spilites. *Geochemica et Cosmochimica Acta*, 41, 1601–1607.
- Skelton A., Arghe F. and Pitcairn I. (2010) - Regional mapping of pre-metamorphic spilitization and associated chemical mobility in greenschist-facies metabasalts of the SW Scottish Highlands. *Journal of the Geological Society, London*, 167, 1049–1061.
- Shervais J.W. (1982) - Ti-V plots and the petrogenesis of modern and ophiolitic lavas. *Earth. Planet. Sci. Lett.*, 59: 101-118.
- Shimizu N. and Arculus R. J. (1975) - Rare earth concentrations in a suite of basanitoids and alkaline olivine basalts from Grenada, lesser Antilles. *Contribution to Mineralogy and Petrology*, 50, 231-240.
- Schumacher J. C. (1997) – The estimates of ferric iron in electron microprobe analysis of amphiboles. Appendix 2 of: §Leake B.E., Woolley A. R., Arps C. E. S., Birch W. D., Gilbert M. C., Grice J. D., Hawthorn F. C., Kato A., Kisch H. J., Krivovichev V. G., Linthout K., Laird J., Mandarino J., Maresch W. V., Nichel E. H. and Rock N. M. S. (1997) – Nomenclature of amphiboles. Report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names. *Eur. J. Mineral.*, 9, 623-651.
- Sinigoï S., Quick J.E., Clemens-Knott D., Mayer A., Demarchi G., Mazzucchelli M., Negrini L., Rivalenti G. (1994) – Chemical evolution of a large mafic intrusion in the lower crust, Ivrea-Verbano Zone, northern Italy. *J. Geophys. Res.* 99 (B11), 21575–21590.
- Speer J. A., Becker S.W. and Farrar S.S. (1980) - Field relations and petrology of the post metamorphic, coarse-grained granitoids and associated rocks of the southern Appalachian Piedmont. In D.R. Wones, Ed., Virginia Polytechnic Institute and State University, Department of Geological Sciences Memoir, 2, 137-148.
- Stampfli G. M. and Borel G. D. (2002) – A plate tectonic model for the Paleozoic and Mesozoic constrained by dynamic plate boundaries and restored synthetic oceanic isochrons. *Earth and Planetary Science Letters*, 196, 17-33.
- Stampfli G. M., Borel G. D., Marchant R. and Mosar J. (2002) - Western Alps geological constraints on Western Tethyan reconstruction. *J. Virt. Expl.*, 7, 75-104.
- Stille P. and Buletti M. (1987) - Nd-Sr isotopic characteristic of the Lugano volcanic rocks and constraints on the continental crust formation in the South Alpine domain (N Italy-Switzerland). *Contrib. Mineral. Petrol.*, 96, 140-150.
- Sun S.S. (1980) – Lead isotopic study of young volcanic rocks from mid-ocean ridges, ocean islands, and island arcs. *Philos. Trans. R. Soc. London. Ser. A*, 297, 409-445.
- Sun S.S. and McDonough W.F. (1989) - Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes. In Saunders A.D. and Norry M.J. (eds.) *Magmatism in ocean basins*. Geol. Soc. London. Spec. Pub. 42, 313-345.
- Sundberg M., Hirt G. and Kelement P. B. (2010) - Trapped Melt in the Josephine Peridotite: Implications for Permeability and Melt Extraction in the Upper Mantle. *J. Petrology*, 51, 185-200.
- Taylor S. R. and McLennan S. M. (1995) - The geochemical evolution of the continental crust. *Rev. Geophys.*, 33, 241-265.

- Tatsumi Y. (1989) - Migration of fluid phases and genesis of basalt magmas in subduction zone. *J. Geoph. Res.*, 94, 4697-4707.
- Thomson S.N. (1994) - Fission track analysis of the crystalline basement rocks of the Calabrian Arc, southern Italy: evidence of Oligo-Miocene late-orogenic extension and erosion. *Tectonophysics* 238, 331–352.
- Tait J.A., Bachtadse V., Franke W. and Soĉel H.C. (1997) - Geodynamic evolution of the European Variscan fold belt: paleomagnetic and geological constraints. *Geol. Rndsch.*, 86, 585-598
- Timmerman M. J. (2004) - Timing, geodynamic setting and character of Permo-Carboniferous magmatism in the foreland of the Variscan Orogen, NW Europe. In Wilson M, Neumann E-R, Davies GR, Timmerman MJ, Heeremans M, Larsen B (eds) *Permo-Carboniferous magmatism and rifting in Europe*. Geological Society, London Special Publication, vol 223, 41–74.
- Torsvik T.H. (1998) - Palaeozoic palaeogeography: a North Atlantic viewpoint. *Geol. Soc. Sweden (G.F.F.)*, 120, 109-118.
- Tortorici L. (1982) - Lineamenti geologico-strutturali dell'Arco Calabro Peloritano. *Rend. Soc. It. Mineral. Petr.*, 4, 927-940.
- Tortorici L., Catalano S. and Monaco C. (2009) - Ophiolite-bearing mélanges in southern Italy. *Geol. J.*, 44, 153-166.
- Traversa G., Ronca S., Del Moro A., Pasquali C., Buraglini N. and Barabino G. (2003) - Late to post-Hercynian dyke activity in the Sardinia-Corsica Domain: A transition from orogenic calcalkaline to anorogenic alkaline magmatism. *Boll. Soc. Geol. It., Spec. Vol.*, 2, 131-152.
- Treuil M. and Joron J. L. (1975) – Utilisation des éléments hygromagmaphiles pour la simplification de la modélisation quantitative des processus magmatiques. *Eur. J. Mineral.*, 8, 1153-1173.
- Treuil M. and Joron J. L. (1994) – Etude géochimique des éléments en traces dans les laves émises au cône de l'éruption 1991-1993 de l'Etna. Mise en évidence des contributions de la source, de la fusion partielle, de la différenciation et des modalités de transfert des magmas. *Acta Volcanol.*, 4, 29-45.
- Turner S.P., Platt J.P., George R.M.M., Kelley S.P., Pearson D.G. and Nowell G.M. (1999) - Magmatism associated with orogenic collapse of the Betic-Alboran domain SE Spain. *J. Petrol.*, 40, 1011–1036.
- Ulrych J., Pesek J., Stepankova-Svobodovay A. J., Bosak P., Lloyd F. E., Von Seckendorff V., Lang M. and Novak J. K. (2006) - Permo-Carboniferous volcanism in late Variscan continental basins of the Bohemian Massif (Czech Republic): geochemical characteristics. *Chem. Erde*, 66, 37-56.
- Upton B.G.J., Stephenson D, Smedley P.M., Wallis S.M., Fitton J.G. (2004) - Carboniferous and Permian magmatism in Scotland. In: Wilson M, Neumann E.R, Davies GR, Timmerman MJ, Heeremans M, Larsen B (eds) *Permo-Carboniferous magmatism and rifting in Europe*. Geol Soc London Spec Publ, vol 223, London, 195–218
- Van der Voo R. (1979) - Palaeozoic assembly of Pangea: a new plate tectonic model for the Taconic, Caledonian and Hercynian orogenies (abstract). *EOS Trans. AGU* 60, 241.
- Vernon R.H. (1990) - Crystallisation and hybridism in microgranitoid enclave magmas: microstructural evidence. *Journal of Geophysical Research* 95, 17849–178459.
- Vianelli G. (1968a) - Le manifestazioni effusive della Sicilia centro-occidentale: I prodotti di trasformazione nelle lave di Mte. Bonifato (Alcamo) e Mte. Barbaro (Segesta). *Atti. Acc. Sc. Lett. Arti di Palermo*, 28, 122.

- Vianelli G. (1968b) - Le manifestazioni effusive della Sicilia centro-occidentale: I prodotti di trasformazione delle effusività di Custonaci e del Torrente Forgia in provincia di Trapani, *Ist. Mineral. Petrog. Palermo Quad.* 1, pp. 331.
- Vianelli G. (1964) - Le manifestazioni eruttive della Sicilia centro-occidentale: I prodotti di alterazione nei basalti di Giuliana ed Alessandria della Rocca. *Atti Acc. Sci. Lett. ed Arti di Palermo*, 24, 157-187.
- Vianelli G. (1970) - Le manifestazioni eruttive della Sicilia centro-orientale. I prodotti di trasformazioni nell'affioramento alcalisienitico di C. da Margana (Commune di Prizzi). *Riv. Mineraria. Sicil.*, 121-123, 40 pp.
- Villaseca C., Orejana D., Pin C., López García J. A., Andonaegui P. (2004) - Le magmatisme basique hercynien et post-hercynien du Système central espagnol : essai de caractérisation des sources mantelliques. *C. R. Geoscience*, 336, 877–888.
- Visona' D. (1982) – Plutonismo basico ercinico nel Sudalpino delle Alpi Orientali: primi dati per un modello di tettonica a placche ercinica. *Rend. Soc. Geol. It.* 5, 105–107.
- Von Blanckenburg F., Kagami H., Deutsch A. and Oberli F. (1998) - The origin of Alpine plutons along the Periadriatic Lineament. *Schweizer Mineralogische und Petrographische Mitteilungen*, 78, 55–66.
- Von Quadt, A., Grqnenfelder, M. and Bqchi H. (1994) - U–Pb zircon ages from igneous rocks of the Bernina nappe system (Grisons, Switzerland). *Schweiz. Mineral. Petrogr. Mitt.* 74, 373– 382.
- Voshage H., Hofmann A.W., Mazzucchelli M., Rivalenti G., Sinigoi S., Raczek I. and Demarchi G. (1990) - Isotopic evidence from the Ivrea Zone for a hybrid lower crust formed by magmatic underplating. *Nature*, 347, 731-736.
- Vrana S. and Janusek V. (2006) Late-orogenic Variscan magmatism: the case of the quartz-monzodiorite dyke from the Blanice Graben, Southern Bohemia. *Journal of the Czech Geological Society*, 51, 231-248.
- Yodor H. S. and Tilley C. E. (1962) - Origin of basalt magmas: an experimental study of natural and synthetic rock systems. *fota. Petrotr.*, 313, 42-532.
- Youbi N., Cabanis B., Chalot-Prat F. and Cailleux Y (1995) - Histoire volcano-tectonique du massif permien de Khénifra (Sud-Est du MAroc Central). *Geodinamica Acta*, 8, 158-172.
- Warman H. R., and Arkell W. J. (1954) - A review of the Jurassic of western Sicily based on new ammonite faunas. *Quart. J. Geol. Soc. London* 110, 267-282.
- Weaver B. L. (1991) – The origin of oceanic island basalt end-member compositions: trace element and isotopic constraints. *Earth Planet. Sci. Lett.*, 104, 381-397.
- Wendt J. (1963) - Stratigraphische-palaontologische Untersuchungen in Dogger Westsiziliens. *Boll. Soc. Paleont. Ital.*, 2, 58-145.
- Wezel F.C. (1974) - Flysch successions and tectonic evolution of Sicily during Oligocene and Early Miocene. In: Squires C.H. (Ed.), *Guide Book to the Geology of Italy*. *Petrol. Explor. Soc. Lybia*, pp.1-23.
- Wilson M. (1989) - *Igneous petrogenesis*, Unwin Hyman, London, 466 p.
- Wilson M., Tankut A. and Gulec N. (1997) – Tertiary volcanism of the Galatia Province, north-west Central Anatolia, Turkey. *Lithos*, 42, 105-121.

Wilson M., Neumann E. R., Davies G. R., Teimmerman M. J., Heeremans M., Larsen B. T. (2004) – Permo-Carboniferous magmatism and rifting in Europe. Geological Society, London, Special Publications, 223.

Winchester J. A. and Floyd P. A. (1977) - Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chemical Geology*, 20, 325-343.

Wooden J.L., Czamanske G.K., Fedorenko V.A., Arndt N.T., Chauvel C., Bouse R.M., King B., Knight R.J. and Siems D.F. (1993) - Isotopic and trace-element constraints on mantle and crustal contributions to Siberian continental flood basalts, Noril'sk area, Siberia. *Geochimica et Cosmochimica Acta*, 57, Issue 15, 3677-3704

Ziegler P.A. (1989) – Evolution of Laurussia. 102p. Kluwer, Academic Publishers. Dordrecht, Boston, London.

Ziegler P.A. (1990) - Geological Atlas of Western and Central Europe, second ed. Shell International Petroleum Maatschappij BV, The Hague.

Ziegler P. A. (1993) - Late Palaeozoic-Early Mesozoic Plate re-organization: evolution and demise of the Variscan fold belt. In: Pre-Mesozoic in the Alps. (eds): J. F. von Raumer and F. Neubauer, Springer, Berlin Heidelberg New York, 171-201.

Ziegler P. A. and Cloetingh S. (2004) - Dynamic processes controlling the evolution of rifted basins. *Earth Sci Rev* 64: 1–50.

Zindler A. and Hart S. R. (1986) - Chemical geodynamics. *Annu Rev. Earth Planet Sci* 14, 493–571.

Zwart H.J. (1967) - The duality of orogenic belts. *Geol. Mijnbouw*, 8, 284–309.